

SAFETY DATA SHEET

Date Printed: 05/10/2024 Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifier: (3N) 99.9% Silver Oxide Rotatable Sputtering Target

Product Code: AG-OX-03-STR

CAS Number: 20667-12-3

Relevant identified uses of the substance: Scientific research and development

Supplier details:

American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551 Fax: +1 310-208-0351 Emergency telephone number: +1 800-424-9300

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS03 Flame over circle Ox. Sol. 1 H271 May cause fire or explosion; strong oxidizer. GHS05 Corrosion Eye Dam. 1 H318 Causes serious eye damage. Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xi; Irritant R41: Risk of serious damage to eyes. O; Oxidizing R9: Explosive when mixed with combustible material. N; Dangerous for the environment R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Information concerning particular hazards for human and environment: N/A Hazards not otherwise classified No data available Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labeled according to the CLP regulation.



GHS03 GHS05 Signal word Danger Hazard statements H271 May cause fire or explosion; strong oxidizer. H318 Causes serious eye damage. Precautionary statements P221 Take any precaution to avoid mixing with combustibles. P283 Wear fire/flame resistant/retardant clothing. P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P306+P360 IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification C - Oxidizing materials D2B - Toxic material causing other toxic effects Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) HEALTH FIRE REACTIVITY 2 0 3 Health (acute effects) = 2Flammability = 0Physical Hazard = 3 Other hazards Results of PBT and vPvB assessment PBT: N/A vPvB: N/A

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances CAS No. / Substance Name: 20667-12-3 Silver(I) oxide Identification number(s): EC number: 243-957-1

SECTION 4. FIRST AID MEASURES

Description of first aid measures If inhaled: Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm. Seek immediate medical advice. In case of skin contact: Immediately wash with soap and water; rinse thoroughly. Seek immediate medical advice. In case of eye contact: Rinse opened eye for several minutes under running water. Consult a physician. If swallowed: Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed No data available Indication of any immediate medical attention and special treatment needed No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. For safety reasons unsuitable extinguishing agents Halocarbon extinguisher Special hazards arising from the substance or mixture This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. If this product is involved in a fire, the following can be released: Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow material to be released to the environment without official permits. Do not allow product to enter drains, sewage systems, or other water courses. Do not allow material to penetrate the ground or soil. Methods and materials for containment and cleanup: Pick up mechanically. Prevention of secondary hazards: Acts as an oxidizing agent on organic materials such as wood, paper and fats Keep away from combustible material. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Substance/product can reduce the ignition temperature of flammable substances. This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ianition. Conditions for safe storage, including any incompatibilities Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from flammable substances. Store away from reducing agents. Store in the dark. Do not store with organic materials. Store away from metal powders. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well-sealed containers. Protect from exposure to light. Specific end use(s) No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. **Control parameters** Components with limit values that require monitoring at the workplace: 20667-12-3 Silver(I) oxide (100.0%) EL (Canada) Short-term value: 0.03 mg/m³ Long-term value: 0.01 mg/m³ as Ag Exposure controls Personal protective equipment Follow typical protective and hygienic practices for handling chemicals. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use:

Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protection of hands: Impervious aloves Inspect gloves prior to use. Suitability of gloves should be determined both by material and quality, the latter of which may vary by manufacturer. Material of gloves Nitrile rubber, NBR Penetration time of glove material (in minutes) 480 Glove thickness 0.11 mm Eve protection: Tightly sealed goggles Body protection: Protective work clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties Appearance: Form: Powder or solid in various forms Color: Dark grey to black Odor: Odorless Odor threshold: No data available. pH: N/A Melting point/Melting range: 230 °C (446 °F) (dec) Boiling point/Boiling range: No data available Sublimation temperature / start: No data available Flammability (solid, gas) Contact with combustible material may cause fire. Ignition temperature: No data available Decomposition temperature: No data available Autoignition: No data available. Danger of explosion: Explosive when mixed with combustible material. **Explosion limits:** Lower: No data available Upper: No data available Vapor pressure: N/A Density at 20 °C (68 °F): 7.2 g/cm³ (60.084 lbs/gal) Relative density: No data available. Vapor density: N/A Evaporation rate: N/A Solubility in / Miscibility with Water at 20 °C (68 °F): 0.013 g/l Partition coefficient (n-octanol/water): No data available. Viscosity: Dynamic: N/A Kinematic: N/A Other information No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity May intensify fire; oxidizer. May cause fire or explosion; strong oxidizer. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with reducing agents Reacts with flammable substances Conditions to avoid No data available Incompatible materials: Reducing agents Flammable substances Organic materials Metal powders Light

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects Acute toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product. LD/LC50 values that are relevant for classification: Oral LD50 2820 mg/kg (rat) Skin irritation or corrosion: May cause irritation Eye irritation or corrosion: Causes serious eye damage. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity Aquatic toxicity: No data available Persistence and degradability No data available **Bioaccumulative potential** No data available Mobility in soil No data available Ecotoxical effects: Remark: Very toxic for aquatic organisms Additional ecological information: Do not allow product to reach groundwater, water courses, or sewage systems. Do not allow material to be released to the environment without official permits. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. May cause long lasting harmful effects to aquatic life. Avoid transfer into the environment. Very toxic for aquatic organisms Results of PBT and vPvB assessment PBT: N/A vPvB·N/A Other adverse effects No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods Recommendation Consult official regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

UN-Number DOT, IMDG, IATA UN1479 UN proper shipping name DOT Oxidizing solid, n.o.s. (Silver(I) oxide) IMDG OXIDIZING SOLID, N.O.S. (Silver(I) oxide), MARINE POLLUTANT IATA OXIDIZING SOLID, N.O.S. (Silver(I) oxide) Transport hazard class(es)

DOT Class 5.1 Oxidising substances. Label 5.1 Class 5.1 (O2) Oxidizing substances Label 5.1 IMDG Class 5.1 Oxidising substances. Label 5.1 IATA Class 5.1 Oxidising substances. Label 5.1 Packing group DOT, IMDG, IATA Ш Environmental hazards: Environmentally hazardous substance, solid; Marine Pollutant Marine pollutant (IMDG): Yes (P) Symbol (fish and tree) Special precautions for user Warning: Oxidizing substances EMS Number: F-A.S-Q Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code N/A Transport/Additional information: DOT Marine Pollutant (DOT): No Remarks: Special marking with the symbol (fish and tree). UN "Model Regulation": UN1479, Oxidizing solid, n.o.s. (Silver(I) oxide), 5.1, II

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) 20667-12-3 Silver(I) oxide California Proposition 65 Prop 65 - Chemicals known to cause cancer

Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. This product is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. **REACH - Pre-registered substances** Substance is listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.