

# SAFETY DATA SHEET

Date Printed: 05/17/2024

Date Revised: 01/15/2022

## SECTION 1. IDENTIFICATION

**Product Identifier:** (3N) 99.9% Chromium Sulfate Hydrate

**Product Code:** CR-SAT-03-C.XHYD

**CAS Number:** 15244-38-9

**Relevant identified uses of the substance:** Scientific research and development

Supplier details:

American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351  
Emergency telephone number:  
+1 800-424-9300

## SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 4), H332

Acute toxicity, Dermal (Category 4), H312

Skin corrosion (Category 1B), H314

Serious eye damage (Category 1), H318

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled

H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P260 Do not breathe dust or mist.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.  
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER or doctor/ physician.  
P322 Specific measures (see supplemental first aid instructions on this label).  
P363 Wash contaminated clothing before reuse.  
P405 Store locked up.  
P501 Dispose of contents/ container to an approved waste disposal plant.  
2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

---

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

### **3.1 Substances**

Formula :  $\text{Cr}_2\text{O}_3 \cdot 12\text{S}_3 \cdot x\text{H}_2\text{O}$

Molecular weight : 392.18 g/mol

CAS-No. : 15244-38-9

EC-No. : 233-253-2

Hazardous components

Component Classification Concentration

Dichromium tris(sulphate) hydrate

Acute Tox. 4; Skin Corr. 1B;

Eye Dam. 1; H302 + H312 +

H332, H314

<= 100 %

---

## **SECTION 4. FIRST AID MEASURES**

### **4.1 Description of first aid measures**

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.

Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## **SECTION 5. FIREFIGHTING MEASURES**

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Sulphur oxides, Chromium oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing Vapors, mist or gas. Ensure adequate

ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

---

## **SECTION 7. HANDLING AND STORAGE**

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Handle under inert gas. Protect from moisture.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **8.1 Control parameters**

Components with workplace control parameters

Component CAS-No. Value Control

parameters

Basis

Dichromium

tris(sulphate)

hydrate

15244-38-9 TWA 0.500000

mg/m<sup>3</sup>

USA. Occupational Exposure Limits

(OSHA) - Table Z-1 Limits for Air

Contaminants

TWA 0.500000

mg/m<sup>3</sup>

USA. ACGIH Threshold Limit Values

(TLV)

Remarks Upper Respiratory Tract irritation

Skin irritation

Not classifiable as a human carcinogen

varies

TWA 0.500000

mg/m<sup>3</sup>

USA. NIOSH Recommended

Exposure Limits

Chromium(III) compounds include soluble chromic salts.

See Appendix C

TWA 0.5 mg/m<sup>3</sup> USA. Occupational Exposure Limits

(OSHA) - Table Z-1 Limits for Air

Contaminants

TWA 0.5 mg/m<sup>3</sup> USA. ACGIH Threshold Limit Values

(TLV)

Upper Respiratory Tract irritation

Skin irritation

Not classifiable as a human carcinogen

varies

TWA 0.5 mg/m<sup>3</sup> USA. NIOSH Recommended

Exposure Limits

Chromium(III) compounds include soluble chromic salts.

See Appendix C

### **8.2 Exposure controls**

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of

workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate

government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after

use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an

industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It

should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to

the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type

N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the

sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and

approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: solid

b) Odor No data available

c) Odor Threshold No data available

d) pH No data available

e) Melting point/freezing point

Melting point/range: 100 °C (212 °F) - dec.

f) Initial boiling point and

boiling range  
No data available  
g) Flash point N/A  
h) Evaporation rate No data available  
i) Flammability (solid, gas) No data available  
j) Upper/lower  
flammability or  
explosive limits  
No data available  
k) Vapor pressure No data available  
l) Vapor density No data available  
m) Relative density 1.7 g/mL at 25 °C (77 °F)  
n) Water solubility No data available  
o) Partition coefficient: noctanol/  
water  
No data available  
p) Auto-ignition  
temperature  
No data available  
q) Decomposition  
temperature  
No data available  
r) Viscosity No data available  
s) Explosive properties No data available  
t) Oxidizing properties No data available  
9.2 Other safety information  
No data available

---

## **SECTION 10. STABILITY AND REACTIVITY**

10.1 Reactivity  
No data available  
10.2 Chemical stability  
Stable under recommended storage conditions.  
10.3 Possibility of hazardous reactions  
No data available  
10.4 Conditions to avoid  
No data available  
10.5 Incompatible materials  
Strong oxidizing agents  
10.6 Hazardous decomposition products  
Other decomposition products - No data available  
In the event of fire: see section 5

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

11.1 Information on toxicological effects  
Acute toxicity  
No data available  
No data available  
Skin corrosion/irritation

No data available  
Serious eye damage/eye irritation  
No data available  
Respiratory or skin sensitisation  
No data available  
Germ cell mutagenicity  
No data available  
Carcinogenicity  
IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Dichromium tris(sulphate) hydrate)  
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.  
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.  
Reproductive toxicity  
No data available  
No data available  
Specific target organ toxicity - single exposure  
No data available  
Specific target organ toxicity - repeated exposure  
No data available  
Aspiration hazard  
No data available  
Additional Information  
RTECS: Not available  
Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.,  
Cough, Shortness of breath, Headache, Nausea

---

## **SECTION 12. ECOLOGICAL INFORMATION**

12.1 Toxicity  
No data available  
12.2 Persistence and degradability  
No data available  
12.3 Bioaccumulative potential  
No data available  
12.4 Mobility in soil  
No data available  
12.5 Results of PBT and vPvB assessment  
PBT/vPvB assessment not available as chemical safety assessment not required/not conducted  
12.6 Other adverse effects

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

13.1 Waste treatment methods  
Product  
Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a

chemical incinerator equipped with an afterburner and scrubber.  
Contaminated packaging  
Dispose of as unused product.

---

## **SECTION 14. TRANSPORT INFORMATION**

DOT (US)

UN number: 3260 Class: 8 Packing group: II

Proper shipping name: Corrosive solid, acidic, inorganic, n.o.s. (Dichromium tris(sulphate) hydrate)

Reportable Quantity (RQ): 1000 lbs

Poison Inhalation Hazard: No

IMDG

UN number: 3260 Class: 8 Packing group: II EMS-No: F-A, S-B

Proper shipping name: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Dichromium tris(sulphate) hydrate)

IATA

UN number: 3260 Class: 8 Packing group: II

Proper shipping name: Corrosive solid, acidic, inorganic, n.o.s. (Dichromium tris(sulphate) hydrate)

---

## **SECTION 15. REGULATORY INFORMATION**

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Dichromium tris(sulphate) hydrate

CAS-No.

15244-38-9

Revision Date

1993-04-24

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

Dichromium tris(sulphate) hydrate

CAS-No.

15244-38-9

Revision Date

1993-04-24

Pennsylvania Right To Know Components

Dichromium tris(sulphate) hydrate

CAS-No.

15244-38-9

Revision Date

1993-04-24

New Jersey Right To Know Components

Dichromium tris(sulphate) hydrate

CAS-No.

15244-38-9

Revision Date

1993-04-24

California Prop. 65 Components



This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

---

## **16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.