

# SAFETY DATA SHEET

Date Printed: 05/21/2024 Date Revised: 01/15/2022

## **SECTION 1. IDENTIFICATION**

Product Identifier: (5N) 99.999% Calcium Fluorosilicate

Product Code: CA-FSIAT6-05

CAS Number: 16925-39-6

Relevant identified uses of the substance: Scientific research and development

Supplier details:

American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551 Fax: +1 310-208-0351 Emergency telephone number: +1 800-424-9300

# **SECTION 2. HAZARDS IDENTIFICATION**

Statement of Hazard: Irritant, Respiratory irritant, Toxic Acute Health Hazard: Irritant to eyes, skin, mucous membranes and respiratory system. May be fatal by ingestion, skin absorption and inhalation. Chronic Health Hazard: Not Available To the best of our knowledge, the toxicological properties of this chemical have not been thoroughly investigated. Use appropriate procedures and precautions to prevent or minimize exposure. HMIS Rating: H: 4 F: 0 P: 0 **NFPA Rating:** H: 4 F: 0 R: 0 Pictogram:



Signal Word: Danger Hazard Statement(s): H300 Fatal if swallowed. H310 Fatal in contact with skin. H315 Causes skin irritation. H319 Causes serious eye irritation. H330 Fatal if inhaled. H335 May cause respiratory irritation. Precautionary Statement(s): P260 Do not breathe dust/fume/gas/mist/vapors/spray. P262 Do not get in eyes, on skin, or on clothing. P264 Wash skin thoroughly after handling. P270 Do not eat, drink, or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection/face protection. P284 Wear respiratory protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P302+P352 IF ON SKIN: wash with plenty of soap and water. P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 IF SKIN irritation occurs: Get medical advice/attention.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name: Calcium fluorosilicate dihydrate CAS Number: 16925-39-6 EINECS Number: 240-991-9

#### **SECTION 4. FIRST AID MEASURES**

Eye Contact:

Flush eyes with large amounts of water for fifteen minutes. Separate eyelids with fingers. If irritation persists, seek medical attention. Skin Contact: Wash skin with soap and water. If irritation persists, seek medical attention. Ingestion: Do not induce vomiting. Seek medical attention. Inhalation: Move to a fresh air environment. Contact a physician if breathing

becomes difficult.

# **SECTION 5. FIREFIGHTING MEASURES**

Flash Point (°C): Not Available Explosion Limits: Not Available Autoignition (°C): Not Available Extinguishing Media: Carbon dioxide, dry chemical powder, alcohol-resistant foam, or water spray Protective Equipment: Wear self-contained respirator and fully protective impervious suit. Specific Hazards: May emit hazardous fumes under fire conditions.

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal Protection:

Wear a self-contained breathing apparatus, rubber boots and gloves, and disposable coveralls. Dispose of coveralls after use. Remove from ignition sources if safe to do so. Follow emergency response plan and contact proper authorities if needed.

Keep unprotected persons away.

Environmental Protection:

Keep spills out of sewers and bodies of water. Dike and contain the spill with inert material. Absorb on sand, vermiculite or diatomite. Transfer material to a container for disposal or recovery. Ventilate area and wash spill site after material pickup is complete.

# **SECTION 7. HANDLING AND STORAGE**

Handling and Storage:

Avoid breathing dust, vapor, mist or gas. Avoid contact with skin and eyes. Avoid prolonged or repeated exposure. Use only in a chemical fume hood. Open and handle container with care. Keep ignition sources away.

Store in a tightly closed container in a dry, well-ventilated place.

Sensitivities:

Not Available

Storage Temperature (°C): 15 to 30

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Engineering Controls:

Use product in a well ventilated area or under a fume hood. Use proper lab equipment while handling this product. Keep away from incompatible materials for possible risk of hazardous reaction. Eve Protection:

Wear appropriate protective eyeglass or chemical safety goggles. Make sure that there is an eyewash station in your vicinity.

Skin Protection:

Wear impervious gloves and protective clothing.

**Respiratory Protection:** 

Use a NIOSH approved respirator when exposure limits are exceeded or if irritation or other symptoms are experienced.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance: White crystals or powder Odor: Odorless Odor Threshold: Not Available Flash Point (°C): Not Available Autoignition (°C): Not Available UEL % by Volume: Not Available LEL % by Volume: Not Available Melting Point (°C): Not Available Boiling Point (°C): Not Available Evaporation Rate: Not Available pH Value: Not Available

Density (g/cm<sup>3</sup>): 2.622 Refractive Index (n<sup>20</sup>D): Not Available Viscosity: Not Available Solubility in Water: Not Available Solubility in Other: Not Available Vapor Pressure (mmHg): Not Available Vapor Density (Air=1): Not Available

# SECTION 10. STABILITY AND REACTIVITY

Stability: Stable under normal temperatures and pressures. Incompatibility: Not Available Reactivity: Product may react with incompatible materials to release other hazardous substances. Conditions to Avoid: Heat, flame, sparks, other ignition sources. Hazardous Decomposition Products: Calcium oxides, Hydrogen fluoride gas, Silicon oxides

#### SECTION 11. TOXICOLOGICAL INFORMATION

RTECS Reference: EW4025000 Target Organs: Not Available Toxicity Data: Not Available National Toxicology Program (NTP) listed: Not Available Carcinogenicity: International Agency for Research on Cancer (IARC) listed: Not Available Potential Symptoms: Not Available

# **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity: Not Available

# **SECTION 13. DISPOSAL CONSIDERATIONS**

Contact a licensed professional waste disposal service. Dispose in a manner consistent with federal, state and local environmental regulations.

### **SECTION 14. TRANSPORT INFORMATION**

DOT Shipping Name: Fluorosilicates, N.O.S. DOT UN Number: UN2856 DOT Hazard Class: Class 6.1 DOT Packing Group: PGIII

IMDG Shipping Name: Fluorosilicates, N.O.S. IMDG UN Number: UN2856 IMDG Hazard Class: Class 6.1 IMDG Packing Group: PGIII

IATA Shipping Name: Fluorosilicates, N.O.S. IATA UN Number: UN2856 IATA Hazard Class: Class 6.1 IATA Packing Group: PGIII

## **SECTION 15. REGULATORY INFORMATION**

United Sates Toxic Substance Control Act (TSCA) listed: Yes Superfund Amendments and Reauthorization Act (SARA 302) listed: No Superfund Amendments and Reauthorization Act (SARA 311/312) listed: No Superfund Amendments and Reauthorization Act (SARA 313) listed: No European Union European Inventory of Existing Chemical Substances (EINECS): 240-991-9 Canada Canadian Domestic Substances List (DSL) listed: No Canadian Non-Domestic Substances List (NDSL) listed: Yes

# **16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED

GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY. AMERICAN ELEMENTS | 10884 WEYBURN AVE. | LOS ANGELES, CALIFORNIA 90024 TEL. 310-208-0551 | FAX 310-208-0351 | customerservice@americanelements.com